

Gruppe:		Qualitätsrundstahl		
#	Art-Nr.	Abmessung:	Beschreibung:	kg/mtr.
11535	600008	Rund 8	S355	0,4
11536	600010	Rund 10	S355	0,62
11537	600012	Rund 12	S355	0,888
11538	600013	Rund 13	S355	1,04
11539	600014	Rund 14	S355	1,21
11540	600015	Rund 15	S355	1,39
11541	600016	Rund 16	S355	1,578
11542	600018	Rund 18	S355	2
11543	600020	Rund 20	S355	2,466
11544	600022	Rund 22	S355	2,98
11545	600024	Rund 24	S355	3,55
11546	600025	Rund 25	S355	3,853
11547	600026	Rund 26	S355	4,17
11548	600027	Rund 27	S355	4,5
11549	600030	Rund 30	S355	5,549
11550	600032	Rund 32	S355	6,31
11551	600035	Rund 35	S355	7,553
11552	600036	Rund 36	S355	7,99
11553	600038	Rund 38	S355	8,9
11554	600040	Rund 40	S355	9,87
11555	600045	Rund 45	S355	12,485
11556	600050	Rund 50	S355	15,414
11557	600052	Rund 52	S355	16,617
11558	600055	Rund 55	S355	18,65
11559	600056	Rund 56	S355	19,335
11560	600060	Rund 60	S355	22,195
11561	600065	Rund 65	S355	26,05
11562	600067	Rund 67	S355	27,68
11563	600070	Rund 70	S355	30,21
11564	600075	Rund 75	S355	34,68
11565	600076	Rund 76	S355	35,61
11566	600080	Rund 80	S355	39,46
11567	600085	Rund 85	S355	44,55
11568	600090	Rund 90	S355	49,94
11569	600095	Rund 95	S355	55,64
11570	600100	Rund 100	S355	61,65
11571	600105	Rund 105	S355	67,94
11572	600110	Rund 110	S355	74,6
11573	600115	Rund 115	S355	81,5
11574	600120	Rund 120	S355	88,78
11575	600125	Rund 125	S355	96,29
11576	600130	Rund 130	S355	104
11577	600135	Rund 135	S355	112,31
11578	600140	Rund 140	S355	121
11579	600145	Rund 145	S355	129,56
11580	600150	Rund 150	S355	138,7
11581	600155	Rund 155	S355	148,1
11582	600160	Rund 160	S355	157,8
11583	600165	Rund 165	S355	167,8
11584	600170	Rund 170	S355	178
11585	600175	Rund 175	S355	188,81
11586	600180	Rund 180	S355	199,8

Gruppe:		Qualitätsrundstahl		
#	Art-Nr.	Abmessung:	Beschreibung:	kg/mtr.
11587	600185	Rund 185	S355	210,9
11588	600190	Rund 190	S355	222,6
11589	600195	Rund 195	S355	234,3
11590	600200	Rund 200	S355	246,6
11591	600210	Rund 210	S355	271,9
11592	600220	Rund 220	S355	298,4
11593	600230	Rund 230	S355	326,2
11594	600240	Rund 240	S355	355,1
11595	600250	Rund 250	S355	385,3
11596	600260	Rund 260	S355	416,8
11597	600270	Rund 270	S355	449,5
11598	600280	Rund 280	S355	483,4
11599	600290	Rund 290	S355	518,5
11600	600300	Rund 300	S355	554,9
11601	600310	Rund 310	S355	592,5
11602	600320	Rund 320	S355	631,3
11603	600330	Rund 330	S355	671,4
11604	600340	Rund 340	S355	712,7
11605	600360	Rund 360	S355	799
11606	600430	Rund 430	S355	1140
11607	600480	Rund 480	S355	1421
11608	600580	Rund 580	S355J2	2074
11609	605060	Rund 60	S355J2N, AD2000W13	22,2
11610	605065	Rund 65	S355J2N, AD2000W13	26,05
11611	605070	Rund 70	S355J2N, AD2000W13	30,21
11612	605075	Rund 75	S355J2N, AD2000W13	34,68
11613	605080	Rund 80	S355J2N, AD2000W13	39,46
11614	605085	Rund 85	S355J2N, AD2000W13	44,55
11615	605090	Rund 90	S355J2N, AD2000W13	49,94
11616	605095	Rund 95	S355J2N, AD2000W13	55,64
11617	605100	Rund 100	S355J2N, AD2000W13	61,65
11618	605105	Rund 105	S355J2N, AD2000W13	67,94
11619	605110	Rund 110	S355J2N, AD2000W13	74,6
11620	605115	Rund 115	S355J2N, AD2000W13	81,5
11621	605120	Rund 120	S355J2N, AD2000W13	88,78
11622	605125	Rund 125	S355J2N, AD2000W13	96,29
11623	605130	Rund 130	S355J2N, AD2000W13	104
11624	605135	Rund 135	S355J2N, AD2000W13	112,31
11625	605140	Rund 140	S355J2N, AD2000W13	121
11626	605145	Rund 145	S355J2N, AD2000W13	129,56
11627	605150	Rund 150	S355J2N, AD2000W13	138,7
11628	605155	Rund 155	S355J2N, AD2000W13	148,1
11629	605160	Rund 160	S355J2N, AD2000W13	157,8
11630	605165	Rund 165	S355J2N, AD2000W13	167,8
11631	605170	Rund 170	S355J2N, AD2000W13	178
11632	605175	Rund 175	S355J2N, AD2000W13	188,81
11633	605180	Rund 180	S355J2N, AD2000W13	199,8
11634	605185	Rund 185	S355J2N, AD2000W13	210,9
11635	605190	Rund 190	S355J2N, AD2000W13	222,6
11636	605200	Rund 200	S355J2N, AD2000W13	246,6
11637	605210	Rund 210	S355J2N, AD2000W13	271,9
11638	605220	Rund 220	S355J2N, AD2000W13	298,4

Gruppe:		Qualitätsrundstahl		
#	Art-Nr.	Abmessung:	Beschreibung:	kg/mtr.
11639	605230	Rund 230	S355J2N, AD2000W13	326,2
11640	605240	Rund 240	S355J2N, AD2000W13	355,1
11641	605250	Rund 250	S355J2N, AD2000W13	385,3
11642	605260	Rund 260	S355J2N, AD2000W13	416,8
11643	605270	Rund 270	S355J2N, AD2000W13	449,5
11644	605280	Rund 280	S355J2N, AD2000W13	483,4
11645	605290	Rund 290	S355J2N, AD2000W13	518,5
11646	605300	Rund 300	S355J2N, AD2000W13	554,9
11647	605500	Rund 500	S355J2N, AD2000W13	1541,4
11648	620012	Rund 12	C 22.8	0,89
11649	620024	Rund 24	C 22.8	3,55
11650	620030	Rund 30	C 22.8	5,55
11651	620035	Rund 35	C 22.8	7,55
11652	620040	Rund 40	C 22.8	9,87
11653	620050	Rund 50	C 22.8	15,41
11654	620055	Rund 55	C 22.8	18,65
11655	620060	Rund 60	C 22.8	22,2
11656	620065	Rund 65	C 22.8	26,05
11657	620070	Rund 70	C 22.8	30,21
11658	620085	Rund 85	C 22.8	44,55
11659	620095	Rund 95	C 22.8	55,64
11660	620100	Rund 100	C 22.8	61,65
11661	620110	Rund 110	C 22.8	74,6
11662	620120	Rund 120	C 22.8	88,78
11663	620125	Rund 125	C 22.8	96,29
11664	620130	Rund 130	C 22.8	104
11665	620140	Rund 140	C 22.8	121
11666	620150	Rund 150	C 22.8	138,7
11667	620160	Rund 160	C 22.8	157,8
11668	620170	Rund 170	C 22.8	178
11669	620180	Rund 180	C 22.8	199,8
11670	620190	Rund 190	C 22.8	222,6
11671	620200	Rund 200	C 22.8	246,6
11672	620210	Rund 210	C 22.8	271,9
11673	620220	Rund 220	C 22.8	298,4
11674	620230	Rund 230	C 22.8	326,2
11675	620240	Rund 240	C 22.8	355,1
11676	620260	Rund 260	C 22.8	416,8
11677	620270	Rund 270	C 22.8	449,5
11678	620280	Rund 280	C 22.8	483,4
11679	620300	Rund 300	C 22.8	559
11680	620340	Rund 340	C 22.8	712,7
11681	620380	Rund 380	C 22.8	890,3
11682	620470	Rund 470	C 22.8	1362
11683	620525	Rund 525	C 22.8	1698,47
11684	620600	Rund 600	C 22.8	2219,5
11685	620800	Rund 800	C 22.8	3946
11686	630030	Rund 30	C 35	5,55
11687	630035	Rund 35	C 35	7,55
11688	630036	Rund 36	C 35	7,99
11689	630040	Rund 40	C 35	9,865
11690	630045	Rund 45	C 35	12,49

Gruppe:		Qualitätsrundstahl		
#	Art-Nr.	Abmessung:	Beschreibung:	kg/mtr.
11691	630050	Rund 50	C 35	15,414
11692	630055	Rund 55	C 35	18,65
11693	630056	Rund 56	C 35	19,335
11694	630060	Rund 60	C 35	22,195
11695	630065	Rund 65	C 35	26,05
11696	630070	Rund 70	C 35	30,21
11697	630075	Rund 75	C 35	34,68
11698	630080	Rund 80	C 35	39,46
11699	630085	Rund 85	C 35	44,55
11700	630090	Rund 90	C 35	49,94
11701	630095	Rund 95	C 35	55,64
11702	630100	Rund 100	C 35	61,65
11703	630105	Rund 105	C 35	67,94
11704	630110	Rund 110	C 35	74,6
11705	630115	Rund 115	C 35	81,5
11706	630120	Rund 120	C 35	88,78
11707	630125	Rund 125	C 35	96,29
11708	630130	Rund 130	C 35	104
11709	630135	Rund 135	C 35	112,31
11710	630140	Rund 140	C 35	121
11711	630145	Rund 145	C 35	129,56
11712	630150	Rund 150	C 35	138,7
11713	630160	Rund 160	C 35	157,8
11714	630170	Rund 170	C 35	178
11715	630180	Rund 180	C 35	199,8
11716	630190	Rund 190	C 35	222,6
11717	630200	Rund 200	C 35	246,6
11718	630210	Rund 210	C 35	271,9
11719	630220	Rund 220	C 35	298,4
11720	630230	Rund 230	C 35	326,2
11721	630240	Rund 240	C 35	355,1
11722	630250	Rund 250	C 35	385,3
11723	630260	Rund 260	C 35	416,8
11724	630270	Rund 270	C 35	449,5
11725	630280	Rund 280	C 35	483,4
11726	630290	Rund 290	C 35	518,5
11727	630300	Rund 300	C 35	554,9
11728	630330	Rund 330	C 35	671,4
11729	640020	Rund 20	C 45	2,466
11730	640024	Rund 24	C 45	3,55
11731	640025	Rund 25	C 45	3,853
11732	640030	Rund 30	C 45	5,549
11733	640032	Rund 32	C 45	6,31
11734	640035	Rund 35	C 45	7,553
11735	640036	Rund 36	C 45	7,99
11736	640038	Rund 38	C 45	8,9
11737	640040	Rund 40	C 45	9,865
11738	640045	Rund 45	C 45	12,485
11739	640050	Rund 50	C 45	15,414
11740	640052	Rund 52	C 45	16,617
11741	640055	Rund 55	C 45	18,65
11742	640060	Rund 60	C 45	22,195

Gruppe:		Qualitätsrundstahl		
#	Art-Nr.	Abmessung:	Beschreibung:	kg/mtr.
11743	640065	Rund 65	C 45	26,05
11744	640070	Rund 70	C 45	30,21
11745	640075	Rund 75	C 45	34,68
11746	640080	Rund 80	C 45	39,46
11747	640085	Rund 85	C 45	44,55
11748	640090	Rund 90	C 45	49,94
11749	640095	Rund 95	C 45	55,64
11750	640100	Rund 100	C 45	61,65
11751	640105	Rund 105	C 45	67,94
11752	640110	Rund 110	C 45	74,6
11753	640115	Rund 115	C 45	81,5
11754	640120	Rund 120	C 45	88,78
11755	640125	Rund 125	C 45	96,29
11756	640130	Rund 130	C 45	104
11757	640135	Rund 135	C 45	112,31
11758	640140	Rund 140	C 45	121
11759	640145	Rund 145	C 45	129,56
11760	640150	Rund 150	C 45	138,7
11761	640160	Rund 160	C 45	157,8
11762	640165	Rund 165	C 45	167,8
11763	640170	Rund 170	C 45	178
11764	640180	Rund 180	C 45	199,8
11765	640190	Rund 190	C 45	222,6
11766	640200	Rund 200	C 45	246,6
11767	640210	Rund 210	C 45	271,9
11768	640220	Rund 220	C 45	298,4
11769	640230	Rund 230	C 45	326,2
11770	640240	Rund 240	C 45	355,1
11771	640250	Rund 250	C 45	385,3
11772	640260	Rund 260	C 45	416,8
11773	640270	Rund 270	C 45	449,5
11774	640280	Rund 280	C 45	483,4
11775	640290	Rund 290	C 45	518,5
11776	640300	Rund 300	C 45	554,9
11777	640310	Rund 310	C 45	592,5
11778	640320	Rund 320	C 45	631,3
11779	640330	Rund 330	C 45	671,4
11780	640340	Rund 340	C 45	712,7
11781	640350	Rund 350	C 45	755,3
11782	640360	Rund 360	C 45	799
11783	640370	Rund 370	C 45	844
11784	640380	Rund 380	C 45	890,3
11785	640400	Rund 400	C 45	986,5
11786	640410	Rund 410	C 45	1036,4
11787	640420	Rund 420	C 45	1087,6
11788	640430	Rund 430	C 45	1140
11789	640440	Rund 440	C 45	1194
11790	640450	Rund 450	C 45	1248,5
11791	640470	Rund 470	C 45	1362
11792	640480	Rund 480	C 45	1421
11793	640490	Rund 490	C 45	1480,3
11794	640500	Rund 500	C 45	1541,34

Gruppe:		Qualitätsrundstahl		
#	Art-Nr.	Abmessung:	Beschreibung:	kg/mtr.
11795	640520	Rund 520	C 45+N	1662
11796	640530	Rund 530	C 45+N	1731,85
11797	640540	Rund 540	C 45+N	1807,92
11798	640550	Rund 550	C 45+N	1875,5
11799	640560	Rund 560	C 45+N	1933,46
11800	640570	Rund 570	C 45+N	2003,1
11801	640580	Rund 580	C 45+N	2074
11802	640610	Rund 610	C 45+N	2294,1
11803	640630	Rund 630	C 45+N	2447
11804	640640	Rund 640	C 45+N	2525,3
11805	640650	Rund 650	C 45+N	2605
11806	640825	Rund 825	C 45+N	4196,31
11807	640900	Rund 900	C 45+N	4994
11808	640925	Rund 925	C 45+N	5272,58
11809	650014	Rund 14	C 60	1,21
11810	650020	Rund 20	C 60	2,47
11811	650025	Rund 25	C 60	3,85
11812	650030	Rund 30	C 60	5,55
11813	650035	Rund 35	C 60	7,55
11814	650040	Rund 40	C 60	9,87
11815	650045	Rund 45	C 60	12,49
11816	650050	Rund 50	C 60	15,41
11817	650060	Rund 60	C 60	22,19
11818	650065	Rund 65	C 60	26,05
11819	650070	Rund 70	C 60	30,21
11820	650075	Rund 75	C 60	34,68
11821	650080	Rund 80	C 60	39,46
11822	650085	Rund 85	C 60	44,55
11823	650090	Rund 90	C 60	49,94
11824	650095	Rund 95	C 60	55,64
11825	650100	Rund 100	C 60	61,65
11826	650105	Rund 105	C 60	67,94
11827	650110	Rund 110	C 60	74,6
11828	650120	Rund 120	C 60	88,78
11829	650130	Rund 130	C 60	104
11830	650140	Rund 140	C 60	121
11831	650150	Rund 150	C 60	138,7
11832	650160	Rund 160	C 60	157,8
11833	650170	Rund 170	C 60	178
11834	650180	Rund 180	C 60	199,8
11835	650190	Rund 190	C 60	222,6
11836	650200	Rund 200	C 60	246,6
11837	650210	Rund 210	C 60	271,9
11838	650220	Rund 220	C 60	298,4
11839	650230	Rund 230	C 60	326,2
11840	650240	Rund 240	C 60	355,1
11841	650250	Rund 250	C 60	385,3
11842	650260	Rund 260	C 60	416,8
11843	650270	Rund 270	C 60	449,5
11844	650280	Rund 280	C 60	483,4
11845	650290	Rund 290	C 60	518,5
11846	650300	Rund 300	C 60	554,9

Gruppe:		Qualitätsrundstahl		
#	Art-Nr.	Abmessung:	Beschreibung:	kg/mtr.
11847	650310	Rund 310	C 60	592,5
11848	650320	Rund 320	C 60	631,3
11849	650330	Rund 330	C 60	671,4
11850	650340	Rund 340	C 60-N	712,7
11851	650350	Rund 350	C 60-N	755,3
11852	650360	Rund 360	C 60-N	799
11853	650370	Rund 370	C 60-N	844
11854	650390	Rund 390	C 60-N	938
11855	650410	Rund 410	C 60-N	1036,4
11856	650450	Rund 450	C 60-N	1248,5
11857	650460	Rund 460	C 60-N	1305
11858	650470	Rund 470	C 60-N	1362
11859	650500	Rund 500	C 60-N	1541,4
11860	650510	Rund 510	C 60-N	1603,61
11861	650575	Rund 575	C 60-N	2037,95
11862	650580	Rund 580	C 60-N	2074
11863	650625	Rund 625	C 60-N	2407,1
11864	660008	Rund 8	16 Mn Cr 5	0,395
11865	660010	Rund 10	16 Mn Cr 5	0,617
11866	660015	Rund 15	16 Mn Cr 5	1,387
11867	660016	Rund 16	16 Mn Cr 5	1,58
11868	660018	Rund 18	16 Mn Cr 5	2
11869	660020	Rund 20	16 Mn Cr 5	2,466
11870	660022	Rund 22	16 Mn Cr 5	2,98
11871	660024	Rund 24	16 Mn Cr 5	3,55
11872	660025	Rund 25	16 Mn Cr 5	3,853
11873	660028	Rund 28	16 Mn Cr 5	4,83
11874	660030	Rund 30	16 Mn Cr 5	5,549
11875	660035	Rund 35	16 Mn Cr 5	7,553
11876	660040	Rund 40	16 Mn Cr 5	9,865
11877	660045	Rund 45	16 Mn Cr 5	12,485
11878	660050	Rund 50	16 Mn Cr 5	15,414
11879	660055	Rund 55	16 Mn Cr 5	18,65
11880	660060	Rund 60	16 Mn Cr 5	22,195
11881	660065	Rund 65	16 Mn Cr 5	26,05
11882	660070	Rund 70	16 Mn Cr 5	30,21
11883	660075	Rund 75	16 Mn Cr 5	34,68
11884	660080	Rund 80	16 Mn Cr 5	39,46
11885	660085	Rund 85	16 Mn Cr 5	44,55
11886	660090	Rund 90	16 Mn Cr 5	49,94
11887	660095	Rund 95	16 Mn Cr 5	55,64
11888	660100	Rund 100	16 Mn Cr 5	61,65
11889	660105	Rund 105	16 Mn Cr 5	67,94
11890	660110	Rund 110	16 Mn Cr 5	74,6
11891	660115	Rund 115	16 Mn Cr 5	81,5
11892	660120	Rund 120	16 Mn Cr 5	88,78
11893	660125	Rund 125	16 Mn Cr 5	96,29
11894	660130	Rund 130	16 Mn Cr 5	104
11895	660135	Rund 135	16 Mn Cr 5	112,31
11896	660140	Rund 140	16 Mn Cr 5	121
11897	660145	Rund 145	16 Mn Cr 5	129,56
11898	660150	Rund 150	16 Mn Cr 5	138,7

Gruppe:		Qualitätsrundstahl		
#	Art-Nr.	Abmessung:	Beschreibung:	kg/mtr.
11899	660160	Rund 160	16 Mn Cr 5	157,8
11900	660170	Rund 170	16 Mn Cr 5	178
11901	660175	Rund 175	16 Mn Cr 5	188,81
11902	660180	Rund 180	16 Mn Cr 5	199,8
11903	660190	Rund 190	16 Mn Cr 5	222,6
11904	660200	Rund 200	16 Mn Cr 5	246,6
11905	660210	Rund 210	16 Mn Cr 5	271,9
11906	660220	Rund 220	16 Mn Cr 5	298,4
11907	660230	Rund 230	16 Mn Cr 5	326,2
11908	660240	Rund 240	16 Mn Cr 5	355,1
11909	660250	Rund 250	16 Mn Cr 5	385,3
11910	660260	Rund 260	16 Mn Cr 5	416,8
11911	660270	Rund 270	16 Mn Cr 5	449,5
11912	660280	Rund 280	16 Mn Cr 5	483,4
11913	660290	Rund 290	16 Mn Cr 5	518,5
11914	660300	Rund 300	16 Mn Cr 5	554,9
11915	660310	Rund 310	16 Mn Cr 5	592,5
11916	660320	Rund 320	16 Mn Cr 5	631,3
11917	660330	Rund 330	16 Mn Cr 5	671,4
11918	660340	Rund 340	16 Mn Cr 5	712,7
11919	660350	Rund 350	16 Mn Cr 5	755,3
11920	660360	Rund 360	16 Mn Cr 5	799
11921	660370	Rund 370	16 Mn Cr 5	844
11922	660380	Rund 380	16 Mn Cr 5	890,3
11923	660390	Rund 390	16 Mn Cr 5	938
11924	660400	Rund 400	16 Mn Cr 5	986,5
11925	660410	Rund 410	16 Mn Cr 5	1036,4
11926	660420	Rund 420	16 Mn Cr 5	1087,6
11927	660430	Rund 430	16 Mn Cr 5	1140
11928	660440	Rund 440	16 Mn Cr 5	1194
11929	660450	Rund 450	16 Mn Cr 5	1248,5
11930	660470	Rund 470	16 Mn Cr 5	1361,93
11931	660480	Rund 480	16 Mn Cr 5	1421
11932	660500	Rund 500	16 Mn Cr 5	1541,34
11933	660510	Rund 510	16 Mn Cr 5	1603,61
11934	660520	Rund 520	16 Mn Cr 5	1662
11935	660530	Rund 530	16 Mn Cr 5	1731,85
11936	660540	Rund 540	16 Mn Cr 5	1807,92
11937	660550	Rund 550	16 Mn Cr 5	1875,5
11938	660560	Rund 560	16 Mn Cr 5	1933,46
11939	660570	Rund 570	16 Mn Cr 5	2003,1
11940	660580	Rund 580	16 Mn Cr 5	2074
11941	660600	Rund 600	16 Mn Cr 5	2219,5
11942	660650	Rund 650	16 Mn Cr 5	2605
11943	660725	Rund 725	16 Mn Cr 5	3239
11944	660800	Rund 800	16 Mn Cr 5	3946
11945	660850	Rund 850	16 Mn Cr 5	4455
11946	670016	Rund 16	25 Cr Mo 4 v	1,58
11947	670020	Rund 20	25 Cr Mo 4 v	2,47
11948	670025	Rund 25	25 Cr Mo 4 v	3,853
11949	670030	Rund 30	25 Cr Mo 4 v	5,549
11950	670035	Rund 35	25 Cr Mo 4 v	7,553

Gruppe:		Qualitätsrundstahl		
#	Art-Nr.	Abmessung:	Beschreibung:	kg/mtr.
11951	670040	Rund 40	25 Cr Mo 4 v	9,865
11952	670045	Rund 45	25 Cr Mo 4 v	12,485
11953	670050	Rund 50	25 Cr Mo 4 v	15,41
11954	670055	Rund 55	25 Cr Mo 4 v	18,65
11955	670060	Rund 60	25 Cr Mo 4 v	22,2
11956	670065	Rund 65	25 Cr Mo 4 v	26,05
11957	670070	Rund 70	25 Cr Mo 4 v	30,21
11958	670080	Rund 80	25 Cr Mo 4 v	39,46
11959	670085	Rund 85	25 Cr Mo 4 v	44,55
11960	670090	Rund 90	25 Cr Mo 4 v	49,94
11961	670095	Rund 95	25 Cr Mo 4 v	55,64
11962	670100	Rund 100	25 Cr Mo 4 v	61,65
11963	670110	Rund 110	25 Cr Mo 4 v	74,6
11964	670115	Rund 115	25 Cr Mo 4 v	81,5
11965	670120	Rund 120	25 Cr Mo 4 v	88,8
11966	670125	Rund 125	25 Cr Mo 4 v	96,29
11967	670130	Rund 130	25 Cr Mo 4 v	104
11968	670140	Rund 140	25 Cr Mo 4 v	121
11969	670150	Rund 150	25 Cr Mo 4 v	138,7
11970	670160	Rund 160	25 Cr Mo 4 v	158
11971	670170	Rund 170	25 Cr Mo 4 v	178
11972	670175	Rund 175	25 Cr Mo 4 v	188,81
11973	670180	Rund 180	25 Cr Mo 4 v	199,8
11974	670190	Rund 190	25 Cr Mo 4 v	222,6
11975	670200	Rund 200	25 Cr Mo 4 v	246,6
11976	670210	Rund 210	25 Cr Mo 4 v	271,9
11977	670220	Rund 220	25 Cr Mo 4 v	298,4
11978	670240	Rund 240	25 Cr Mo 4 v	355,1
11979	670250	Rund 250	25 Cr Mo 4 v	385,3
11980	670260	Rund 260	25 Cr Mo 4 v	416,8
11981	670270	Rund 270	25 Cr Mo 4 v	449,5
11982	670280	Rund 280	25 Cr Mo 4 v	483,4
11983	670300	Rund 300	25 Cr Mo 4 v	554,9
11984	670310	Rund 310	25 Cr Mo 4 v	592,5
11985	670320	Rund 320	25 Cr Mo 4 v	631,3
11986	670330	Rund 330	25 Cr Mo 4 v	671,4
11987	670340	Rund 340	25 Cr Mo 4 v	712,7
11988	670370	Rund 370	25 Cr Mo 4 v	844
11989	670380	Rund 380	25 Cr Mo 4 v	890,3
11990	670390	Rund 390	25 Cr Mo 4 v	938
11991	670400	Rund 400	25 Cr Mo 4 v	986,5
11992	670440	Rund 440	25 Cr Mo 4 v	1194
11993	670480	Rund 480	25 Cr Mo 4 v	1421
11994	680014	Rund 14	42 Cr Mo 4 v	1,21
11995	680015	Rund 15	42 Cr Mo 4 v	1,387
11996	680016	Rund 16	42 Cr Mo 4 v	1,58
11997	680018	Rund 18	42 Cr Mo 4 v	2
11998	680020	Rund 20	42 Cr Mo 4 v	2,466
11999	680022	Rund 22	42 Cr Mo 4 v	2,98
12000	680025	Rund 25	42 Cr Mo 4 v	3,853
12001	680028	Rund 28	42 Cr Mo 4 v	4,83
12002	680030	Rund 30	42 Cr Mo 4 v	5,55

Gruppe:		Qualitätsrundstahl		
#	Art-Nr.	Abmessung:	Beschreibung:	kg/mtr.
12003	680032	Rund 32	42 Cr Mo 4 v	6,313
12004	680035	Rund 35	42 Cr Mo 4 v	7,553
12005	680036	Rund 36	42 Cr Mo 4 v	7,99
12006	680038	Rund 38	42 Cr Mo 4 v	8,903
12007	680040	Rund 40	42 Cr Mo 4 v	9,865
12008	680042	Rund 42	42 Cr Mo 4 v	10,88
12009	680045	Rund 45	42 Cr Mo 4 v	12,485
12010	680050	Rund 50	42 Cr Mo 4 v	15,414
12011	680052	Rund 52	42 Cr Mo 4 v	16,62
12012	680055	Rund 55	42 Cr Mo 4 v	18,65
12013	680060	Rund 60	42 Cr Mo 4 v	22,195
12014	680065	Rund 65	42 Cr Mo 4 v	26,05
12015	680070	Rund 70	42 Cr Mo 4 v	30,21
12016	680075	Rund 75	42 Cr Mo 4 v	34,68
12017	680080	Rund 80	42 Cr Mo 4 v	39,46
12018	680085	Rund 85	42 Cr Mo 4 v	44,55
12019	680090	Rund 90	42 Cr Mo 4 v	49,94
12020	680095	Rund 95	42 Cr Mo 4 v	55,64
12021	680100	Rund 100	42 Cr Mo 4 v	61,65
12022	680105	Rund 105	42 Cr Mo 4 v	67,94
12023	680110	Rund 110	42 Cr Mo 4 v	74,6
12024	680115	Rund 115	42 Cr Mo 4 v	81,5
12025	680120	Rund 120	42 Cr Mo 4 v	88,78
12026	680125	Rund 125	42 Cr Mo 4 v	96,29
12027	680130	Rund 130	42 Cr Mo 4 v	104
12028	680135	Rund 135	42 Cr Mo 4 v	112,31
12029	680140	Rund 140	42 Cr Mo 4 v	121
12030	680145	Rund 145	42 Cr Mo 4 v	129,56
12031	680150	Rund 150	42 Cr Mo 4 v	138,7
12032	680155	Rund 155	42 Cr Mo 4 v	148,12
12033	680160	Rund 160	42 Cr Mo 4 v	157,8
12034	680170	Rund 170	42 Cr Mo 4 v	178
12035	680175	Rund 175	42 Cr Mo 4 v	188,81
12036	680180	Rund 180	42 Cr Mo 4 v	199,8
12037	680185	Rund 185	42 Cr Mo 4 v	210,9
12038	680190	Rund 190	42 Cr Mo 4 v	222,6
12039	680200	Rund 200	42 Cr Mo 4 v	246,6
12040	680210	Rund 210	42 Cr Mo 4 v	271,9
12041	680220	Rund 220	42 Cr Mo 4 v	298,4
12042	680230	Rund 230	42 Cr Mo 4 v	326,2
12043	680240	Rund 240	42 Cr Mo 4 v	355,1
12044	680250	Rund 250	42 Cr Mo 4 v	385,3
12045	680260	Rund 260	42 Cr Mo 4 v	416,8
12046	680270	Rund 270	42 Cr Mo 4 v	449,5
12047	680280	Rund 280	42 Cr Mo 4 v	483,4
12048	680290	Rund 290	42 Cr Mo 4 v	518,5
12049	680300	Rund 300	42 Cr Mo 4 v	554,9
12050	680310	Rund 310	42 Cr Mo 4 v	592,5
12051	680320	Rund 320	42 Cr Mo 4 v	631,3
12052	680330	Rund 330	42 Cr Mo 4 v	671,4
12053	680340	Rund 340	42 Cr Mo 4 v	712,7
12054	680350	Rund 350	42 Cr Mo 4 v	755,3

Gruppe:		Qualitätsrundstahl		
#	Art-Nr.	Abmessung:	Beschreibung:	kg/mtr.
12055	680360	Rund 360	42 Cr Mo 4 v	799
12056	680370	Rund 370	42 Cr Mo 4 v	844
12057	680380	Rund 380	42 Cr Mo 4 v	890,3
12058	680390	Rund 390	42 Cr Mo 4 v	938
12059	680400	Rund 400	42 Cr Mo 4 v	986,5
12060	680410	Rund 410	42 Cr Mo 4 v	1036,4
12061	680420	Rund 420	42 Cr Mo 4 v	1087,6
12062	680430	Rund 430	42 Cr Mo 4 v	1140
12063	680440	Rund 440	42 Cr Mo 4 v	1194
12064	680450	Rund 450	42 Cr Mo 4 v	1248,5
12065	680460	Rund 460	42 Cr Mo 4 v	1305
12066	680470	Rund 470	42 Cr Mo 4 v	1362
12067	680480	Rund 480	42 Cr Mo 4 v	1420,5
12068	680490	Rund 490	42 Cr Mo 4 v	1480,3
12069	680500	Rund 500	42 Cr Mo 4 v	1541,4
12070	680510	Rund 510	42 Cr Mo 4 v	1603,61
12071	680520	Rund 520	42 Cr Mo 4 v	1662
12072	680530	Rund 530	42 Cr Mo 4 v	1731,85
12073	680540	Rund 540	42 Cr Mo 4 v	1807,92
12074	680550	Rund 550	42 Cr Mo 4 v	1875,5
12075	680560	Rund 560	42 Cr Mo 4 v	1933,46
12076	680570	Rund 570	42 Cr Mo 4 v	2003,1
12077	680575	Rund 575	42 Cr Mo 4 v	2037,39
12078	680580	Rund 580	42 Cr Mo 4 v	2074
12079	680590	Rund 590	42 Cr Mo 4 v	2146,2
12080	680600	Rund 600	42 Cr Mo 4 v	2219,5
12081	680610	Rund 610	42 Cr Mo 4 v	2294,1
12082	680620	Rund 620	42 Cr Mo 4 v	2370
12083	680630	Rund 630	42 Cr Mo 4 v	2447
12084	680640	Rund 640	42 Cr Mo 4 v	2525,3
12085	680650	Rund 650	42 Cr Mo 4 v	2605
12086	680660	Rund 660	42 Cr Mo 4 v	2686
12087	680670	Rund 670	42 Cr Mo 4 v	2768
12088	680675	Rund 675	42 Cr Mo 4 v	2809,1
12089	680680	Rund 680	42 Cr Mo 4 v	2851
12090	680690	Rund 690	42 Cr Mo 4 v	2935
12091	680700	Rund 700	42 Cr Mo 4 v	3021
12092	680725	Rund 725	42 Cr Mo 4 v	3239
12093	680750	Rund 750	42 Cr Mo 4 v	3468
12094	680775	Rund 775	42 Cr Mo 4 v	3703,08
12095	680900	Rund 900	42 Cr Mo 4 v	4994
12096	681250	Rund 1250	42 Cr Mo 4 v	9620
12793	600020N	Rund 20	S355J2+N	2,47
12794	600025N	Rund 25	S355J2+N	3,85
12795	600030N	Rund 30	S355J2+N	5,549
12796	600040N	Rund 40	S355J2+N	9,87
12797	600045N	Rund 45	S355J2+N	12,49
12798	600050N	Rund 50	S355J2+N	15,414
12799	600060N	Rund 60	S355J2+N	22,2
12800	600065N	Rund 65	S355J2+N	26,05
12801	600070N	Rund 70	S355J2+N	30,21
12802	600075N	Rund 75	S355J2+N	34,68

Gruppe:		Qualitätsrundstahl		
#	Art-Nr.	Abmessung:	Beschreibung:	kg/mtr.
12803	600080N	Rund 80	S355J2+N	39,46
12804	600090N	Rund 90	S355J2+N	49,94
12805	600100N	Rund 100	S355J2+N	61,65
12806	600105N	Rund 105	S355J2+N	67,94
12807	600110N	Rund 110	S355J2+N	74,6
12808	600120N	Rund 120	S355J2+N	88,78
12809	600125N	Rund 125	S355J2+N	96,29
12810	600130N	Rund 130	S355J2+N	104
12811	600140N	Rund 140	S355J2+N	121
12812	600150N	Rund 150	S355J2+N	138,7
12813	600155N	Rund 155	S355J2+N	148,1
12814	600160N	Rund 160	S355J2+N	157,8
12815	600165N	Rund 165	S355J2+N	167,8
12816	600170N	Rund 170	S355J2+N	178
12817	600175N	Rund 175	S355J2+N	188,81
12818	600180N	Rund 180	S355J2+N	199,8
12819	600185N	Rund 185	S355J2+N	210,9
12820	600190N	Rund 190	S355J2+N	222,6
12821	600195N	Rund 195	S355J2+N	234,3
12822	600200N	Rund 200	S355J2+N	246,6
12823	600210N	Rund 210	S355J2+N	271,9
12824	600220N	Rund 220	S355J2+N	298,4
12825	600230N	Rund 230	S355J2+N	326,2
12826	600240N	Rund 240	S355J2+N	355,1
12827	600250N	Rund 250	S355J2+N	385,3
12828	600260N	Rund 260	S355J2+N	416,8
12829	600270N	Rund 270	S355J2+N	449,5
12830	600280N	Rund 280	S355J2+N	483,4
12831	600290N	Rund 290	S355J2+N	518,5
12832	600300N	Rund 300	S355J2+N	554,9
12833	600310N	Rund 310	S355J2+N	592,5
12834	600320N	Rund 320	S355J2+N	631,3
12835	600330N	Rund 330	S355J2+N	671,4
12836	600340N	Rund 340	S355J2+N	712,7
12837	600340R	Rund 340	S355J2+N	712,7
12838	600350N	Rund 350	S355J2+N	755,3
12839	600350R	Rund 350	S355J2+N	755,3
12840	600360N	Rund 360	S355J2+N	799
12841	600360R	Rund 360	S355J2+N	799
12842	600370N	Rund 370	S355J2+N	844
12843	600370R	Rund 370	S355J2+N	844
12844	600380N	Rund 380	S355J2+N	890,3
12845	600380R	Rund 380	S355J2+N	890,3
12846	600390N	Rund 390	S355J2+N	938
12847	600390R	Rund 390	S355J2+N	938
12848	600400N	Rund 400	S355J2+N	986,5
12849	600400R	Rund 400	S355J2+N	986,5
12850	600410N	Rund 410	S355J2+N	1036,4
12851	600410R	Rund 410	S355J2+N	1036,4
12852	600420N	Rund 420	S355J2+N	1088
12853	600420R	Rund 420	S355J2+N	1088
12854	600430N	Rund 430	S355J2+N	1140

Gruppe:		Qualitätsrundstahl		
#	Art-Nr.	Abmessung:	Beschreibung:	kg/mtr.
12855	600430R	Rund 430	S355J2+N	1140
12856	600440N	Rund 440	S355J2+N	1194
12857	600440R	Rund 440	S355J2+N	1194
12858	600450N	Rund 450	S355J2+N	1248,5
12859	600450R	Rund 450	S355J2+N	1248,5
12860	600455N	Rund 455	S355J2+N	1276
12861	600460N	Rund 460	S355J2+N	1305
12862	600460R	Rund 460	S355J2+N	1305
12863	600470N	Rund 470	S355J2+N	1362
12864	600480N	Rund 480	S355J2+N	1421
12865	600480R	Rund 480	S355J2+N	1421
12866	600490N	Rund 490	S355J2+N	1480,3
12867	600490R	Rund 490	S355J2+N	1480,3
12868	600500N	Rund 500	S355J2+N	1541,4
12869	600510N	Rund 510	S355J2+N	1603,61
12870	600520N	Rund 520	S355J2+N	1662
12871	600530N	Rund 530	S355J2+N	1731,85
12872	600540N	Rund 540	S355J2+N	1807,92
12873	600550N	Rund 550	S355J2+N	1875,5
12874	600560N	Rund 560	S355J2+N	1933,46
12875	600570N	Rund 570	S355J2+N	2003,1
12876	600580N	Rund 580	S355J2+N	2074
12877	600590N	Rund 590	S355J2+N	2146,2
12878	600600N	Rund 600	S355J2+N	2219,5
12879	600610N	Rund 610	S355J2+N	2294,1
12880	600620N	Rund 620	S355J2+N	2370
12881	600625N	Rund 625	S355J2+N	2407,13
12882	600630N	Rund 630	S355J2+N	2447
12883	600640N	Rund 640	S355J2+N	2525,3
12884	600650N	Rund 650	S355J2+N	2605
12885	600660N	Rund 660	S355J2+N	2686
12886	600670N	Rund 670	S355J2+N	2768
12887	600675N	Rund 675	S355J2+N	2809,1
12888	600680N	Rund 680	S355J2+N	2851
12889	600690N	Rund 690	S355J2+N	2935
12890	600700N	Rund 700	S355J2+N	3021
12891	600710N	Rund 710	S355J2+N	3108
12892	600720N	Rund 720	S355J2+N	3196
12893	600725N	Rund 725	S355J2+N	3239
12894	600730N	Rund 730	S355J2+N	3286
12895	600740N	Rund 740	S355J2+N	3376
12896	600750N	Rund 750	S355J2+N	3468
12897	600760N	Rund 760	S355J2+N	3561
12898	600770N	Rund 770	S355J2+N	3656
12899	600780N	Rund 780	S355J2+N	3751
12900	600790N	Rund 790	S355J2+N	3848
12901	600800N	Rund 800	S355J2+N	3946
12902	600810N	Rund 810	S355J2+N	4045
12903	600820N	Rund 820	S355J2+N	4146
12904	600825N	Rund 825	S355J2+N	4196,31
12905	600830N	Rund 830	S355J2+N	4247
12906	600840N	Rund 840	S355J2+N	4350

Gruppe:		Qualitätsrundstahl		
#	Art-Nr.	Abmessung:	Beschreibung:	kg/mtr.
12907	600850N	Rund 850	S355J2+N	4455
12908	600860N	Rund 860	S355J2+N	4560
12909	600870N	Rund 870	S355J2+N	4667
12910	600880N	Rund 880	S355J2+N	4775
12911	600890N	Rund 890	S355J2+N	4884
12912	600900N	Rund 900	S355J2+N	4994
12913	600910N	Rund 910	S355J2+N	5106
12914	600920N	Rund 920	S355J2+N	5218
12915	600925N	Rund 925	S355J2+N	5272,58
12916	600930N	Rund 930	S355J2+N	5332
12917	600940N	Rund 940	S355J2+N	5448
12918	600950N	Rund 950	S355J2+N	5564
12919	600960N	Rund 960	S355J2+N	5682
12920	600970N	Rund 970	S355J2+N	5801
12921	600980N	Rund 980	S355J2+N	5921
12922	600990N	Rund 990	S355J2+N	6043
12923	601000N	Rund 1000	S355J2+N	6145,4
12924	640060N	Rund 60	C45+N	22,195
12925	640070N	Rund 70	C 45+N	30,21
12926	640075N	Rund 75	C 45+N	34,68
12927	640080N	Rund 80	C 45+N	39,46
12928	640090N	Rund 90	C 45+N	49,94
12929	640100N	Rund 100	C 45+N	61,65
12930	640110N	Rund 110	C 45+N	74,6
12931	640115N	Rund 115	C 45+N	81,5
12932	640120N	Rund 120	C 45+N	88,78
12933	640125N	Rund 125	C 45+N	96,29
12934	640130N	Rund 130	C 45+N	104
12935	640140N	Rund 140	C 45+N	121
12936	640150N	Rund 150	C 45+N	138,7
12937	640160N	Rund 160	C 45+N	157,8
12938	640170N	Rund 170	C 45+N	178
12939	640180N	Rund 180	C 45+N	199,8
12940	640190N	Rund 190	C 45+N	222,6
12941	640200N	Rund 200	C 45+N	246,6
12942	640210N	Rund 210	C 45+N	271,9
12943	640220N	Rund 220	C 45+N	298,4
12944	640230N	Rund 230	C 45+N	326,2
12945	640240N	Rund 240	C 45+N	355,1
12946	640250N	Rund 250	C 45+N	385,3
12947	640260N	Rund 260	C 45+N	416,8
12948	640270N	Rund 270	C 45+N	449,5
12949	640280N	Rund 280	C 45+N	483,4
12950	640290N	Rund 290	C 45+N	518,5
12951	640300N	Rund 300	C 45+N	554,9
12952	640310N	Rund 310	C 45+N	592,5
12953	640320N	Rund 320	C 45+N	631,3
12954	640330N	Rund 330	C 45+N	671,4
12955	640370N	Rund 370	C 45+N	844
12956	640390N	Rund 390	C 45+N	938
12957	640400R	Rund 400	C 45+N	986,5
12958	640410N	Rund 410	C 45+N	1036,4

Gruppe:		Qualitätsrundstahl		
#	Art-Nr.	Abmessung:	Beschreibung:	kg/mtr.
12959	640450N	Rund 450	C 45+N	1248,5
12960	640460N	Rund 460	C 45+N	1305
12961	640500N	Rund 500	C 45+N	1541,34
12962	640510N	Rund 510	C 45+N	1603,61
12963	680105G	Rund 105	42 Cr Mo 4 +QT +SR	67,94
12964	680115G	Rund 115	42 Cr Mo 4 +QT +SR	81,5
12965	680125G	Rund 125	42 Cr Mo 4 +QT +SR	96,29
12966	680135G	Rund 135	42 Cr Mo 4 +QT +SR	112,31
12967	680155G	Rund 155	42 Cr Mo 4 +QT +SR	148,12
12968	680175G	Rund 175	42 Cr Mo 4 +QT +SR	188,81
12969	680185G	Rund 185	42 Cr Mo 4 +QT +SR	210,9
12970	680200G	Rund 200	42 Cr Mo 4 +QT +SR	246,6
12971	680210G	Rund 210	42 Cr Mo 4 +QT +SR	271,9
12972	680220G	Rund 220	42 Cr Mo 4 +QT +SR	298,4
12973	680230G	Rund 230	42 Cr Mo 4 +QT +SR	326,2
12974	680240G	Rund 240	42 Cr Mo 4 +QT +SR	355,1